

Lovato CANADA

Promotions



2026

Revised pricings in Effect July 1, 2026.

 **Lovato**
electric

ENERGY AND AUTOMATION

● Solid State Relays Hockey Puck



Item #	Description	Unit Price
HS1B2NT025D024	SSR hockey puck 1 phase 25A line 12-280VAC control 3-32VDC	\$45.25
HS1B2NT025E230	SSR hockey puck 1 phase 25A line 12-280VAC control 18-280VAC/DC	\$46.60
HS1B6NT040D024	SSR hockey puck 1 phase 40A line 24-600VAC control 3.5-32VDC	\$54.40
HS1B6NT040E230	SSR hockey puck 1 phase 40A line 24-600VAC control 18-280VAC/DC	\$56.35
HS1B6NN050D024	SSR hockey puck 1 phase 50A line 24-600VAC control 3.5-32VDC	\$53.50
HS1B6NT060D024	SSR hockey puck 1 phase 60A line 24-600VAC control 3.5-32VDC	\$79.90
HS1B6NT060E230	SSR hockey puck 1 phase 60A line 24-600VAC control 18-280VAC/DC	\$86.55
HSBXH1	Heatsink 2.2K/W for one HS1B... or HS2B... solid state relays	\$44.75
HSBXP0001	Thermal pad 1 piece for HS1B... or HS2B... solid state relays	\$2.25

● Solid State Relays Complete with Heatsink



Item #	Description	Unit Price
HS1C2HV025D024	SSR c/w heatsink 1 phase 25A line 12-275VAC control 3-32VDC	\$67.30
HS1C6HV025A230	SSR c/w heatsink 1 phase 25A line 48-600VAC control 90-280VAC	\$78.55
HS1C6HV040D024	SSR c/w heatsink 1 phase 40A line 48-600VAC control 4-32VDC	\$136.15
HS1C6HV040A230	SSR c/w heatsink 1 phase 40A line 48-600VAC control 90-280VAC	\$138.60

● Power Distribution Blocks



Item #	Description	Unit Price
ACB1P085A07	Power distribution block 1 pole 85A 7 terminals	\$13.45
ACB1P150A08	Power distribution block 1 pole 150A 8 terminals	\$23.30
ACB1P200A08	Power distribution block 1 pole 200A 8 terminals	\$36.85
ACB1P520A12	Power distribution block 1 pole 520A 12 terminals	\$71.70

Safety Contactors



Item #	Motor Full Load Amps (FLA) 600V	UL/CSA General (purpose) use	Maximum UL/CSA Horsepower Ratings						Incorporated Auxiliary Contacts		Unit Price
			1 Phase 120V	240V	3 Phase 208V	240V	480V	600V	NO	NC	
	[A]	[A]	[HP]	[HP]	[HP]	[HP]	[HP]	[HP]			
AC coil.											
BFS0923A①	9	25	³ / ₄	2	3	3	5	7 ¹ / ₂	2	3	\$111.05
BFS1223A①	12	28	1	2	5	5	7 ¹ / ₂	10	2	3	\$125.20
BFS2523A①	25	32	2	3	7 ¹ / ₂	7 ¹ / ₂	15	15	2	3	\$182.70
BFS3222A①	32	56	3	7 ¹ / ₂	10	10	20	25	2	2	\$248.85
BFS3822A①	38	56	3	7 ¹ / ₂	10	15	30	30	2	2	\$285.10
DC coil. 24V.											
BFS0923D024	9	25	³ / ₄	2	3	3	5	7 ¹ / ₂	2	3	\$196.90
BFS1223D024	12	28	1	2	5	5	7 ¹ / ₂	10	2	3	\$211.85
BFS2523D024	25	32	2	3	7 ¹ / ₂	7 ¹ / ₂	15	15	2	3	\$281.15
BFS3222D024	32	56	3	7 ¹ / ₂	10	10	20	25	2	2	\$361.45
BFS3822D024	38	56	3	7 ¹ / ₂	10	15	30	30	2	2	\$370.15

① Complete item # with coil voltage digit.
Standard voltages are as follows:
- AC 50-60Hz 024 - 048 - 110 - 230V.

Safety Relays



Item #	Description	Unit Price
Single function. Screw terminals.		
SRASM20	Safety relay with OSSD devices integrated 2NO	\$214.75
SRATH21	Safety relay 2-hand devices 2NO+1PNP	\$320.15
SRALC21	Safety relay light curtains 2NO+1PNP	\$342.35
Multifunction. Screw terminals.		
SRAMF21	Multifunction safety relay 2NO+1PNP	\$398.75



Item #	Description	Unit Price
Single function. Screw terminals.		
SRBES20	Safety relay 2NO	\$230.40
SRBES31	Safety relay 3NO+1NC	\$275.95
Safe outputs expansion module. Screw terminals.		
SRBEM41	Safety relay exp. unit 4NO+1NC	\$342.35



Item #	Description	Unit Price
Single function. Screw terminals.		
SRCES20	Safety relay 2NO	\$196.35
SRCES31	Safety relay 3NO+1NC	\$225.75
Single function. Spring-clamp terminals (Push-in).		
SRCES20S	Safety relay 2NO spring terminals	\$199.50
SRCES31S	Safety relay 3NO+1NC spring terminals	\$225.75



Item #	Description	Unit Price
Programmable multifunction. Screw terminals.		
SRPMFA164	Programmable safety relay 16 inputs 4 outputs	\$1087.75

RFID Safety Sensors



Item #	Description	Unit Price
5-pin version.		
SSF5GM	RFID safety sensor 5 pins generic M12	\$217.45
SSF5GP	RFID safety sensor 5 pins generic pigtail	\$253.75
8-pin version.		
SSF8GM	RFID safety sensor 8 pins generic M12	\$233.95
SSF8GP	RFID safety sensor 8 pins generic pigtail	\$263.60
SSF8TM	RFID safety sensor 8 pins teach-in M12	\$250.45

Surge Protection Devices Type 1CA



Item #	Description	Unit Price
SG13PA300RUL	Surge protection device type 1CA 300VAC UL1449	\$352.95
SG13PA350RUL	Surge protection device type 1CA 350VAC UL1449	\$352.95
SG13PA480RUL	Surge protection device type 1CA 480VAC UL1449	\$352.95
SG13PA750RUL	Surge protection device type 1CA 750VAC UL1449	\$352.95

Moulded Case Circuit Breakers



Item #	Description	Unit Price
P5ME3PH0100UL	MCCB UL489 3 poles 40-100A 600V 35kA	\$913.50
P5ME3PH0250UL	MCCB UL489 3 poles 80-250A 600V 35kA	\$1312.50
P5ME3PH0400UL	MCCB UL489 3 poles 150-400A 600V 35kA	\$2094.75
P5ME3PH0600UL	MCCB UL489 3 poles 225-600A 600V 35kA	\$3202.50

1 POLE

Description	Supplementary Protection* (UL1077/CSA: C22.2 No 235)		Branch Protection (UL489/CSA: C22.2 No 5)	
	Item #	Unit Price	Item #	Unit Price
CURVE C - 1A	P1MB1PC01	\$17.25	P1MBUH1PC01	\$33.55
CURVE C - 1.6A	N/A		P1MBUH1PC01V6	\$33.55
CURVE C - 2A	P1MB1PC02	\$17.25	P1MBUH1PC02	\$33.55
CURVE C - 3A	P1MB1PC03	\$17.25	P1MBUH1PC03	\$33.55
CURVE C - 4A	P1MB1PC04	\$17.25	P1MBUH1PC04	\$33.55
CURVE C - 5A	N/A		P1MBUH1PC05	\$33.55
CURVE C - 6A	P1MB1PC06	\$17.25	P1MBUH1PC06	\$32.90
CURVE C - 7A	N/A		P1MBUH1PC07	\$32.90
CURVE C - 8A	P1MB1PC08	\$17.25	P1MBUH1PC08	\$32.90
CURVE C - 10A	P1MB1PC10	\$17.25	P1MBUH1PC10	\$32.90
CURVE C - 12A	N/A		P1MBUH1PC12	\$32.90
CURVE C - 13A	P1MB1PC13	\$17.25	P1MBUH1PC13	\$32.90
CURVE C - 15A	N/A		P1MBUH1PC15	\$32.90
CURVE C - 16A	P1MB1PC16	\$17.25	P1MBUH1PC16	\$32.90
CURVE C - 20A	P1MB1PC20	\$17.25	P1MBUH1PC20	\$32.90
CURVE C - 25A	P1MB1PC25	\$17.25	P1MBUH1PC25	\$32.90
CURVE C - 30A	N/A		P1MBUH1PC30	\$32.90
CURVE C - 32A	P1MB1PC32	\$17.25	P1MBUH1PC32	\$32.90
CURVE C - 35A	N/A		P1MBUL1PC35	\$34.70
CURVE C - 40A	P1MB1PC40	\$24.00	P1MBUL1PC40	\$34.70
CURVE C - 50A	P1MB1PC50	\$24.00	P1MBUL1PC50	\$34.70
CURVE C - 60A	N/A		P1MBUL1PC60	\$34.70
CURVE C - 63A	P1MB1PC63	\$24.00	P1MBUL1PC63	\$34.70

* This product is cURus.



2 POLES

Description	Supplementary Protection* (UL1077/CSA: C22.2 No 235)		Branch Protection (UL489/CSA: C22.2 No 5)	
	Item #	Unit Price	Item #	Unit Price
CURVE C - 1A	P1MB2PC01	\$40.60	P1MBUH2PC01	\$86.80
CURVE C - 1.6A	P1MB2PC01V6	\$42.50	P1MBUH2PC01V6	\$86.80
CURVE C - 2A	P1MB2PC02	\$40.60	P1MBUH2PC02	\$86.80
CURVE C - 3A	P1MB2PC03	\$40.60	P1MBUH2PC03	\$86.80
CURVE C - 4A	P1MB2PC04	\$40.60	P1MBUH2PC04	\$86.80
CURVE C - 5A	N/A		P1MBUH2PC05	\$86.80
CURVE C - 6A	P1MB2PC06	\$40.60	P1MBUH2PC06	\$79.90
CURVE C - 7A	N/A		P1MBUH2PC07	\$79.90
CURVE C - 8A	P1MB2PC08	\$40.60	P1MBUH2PC08	\$79.90
CURVE C - 10A	P1MB2PC10	\$40.60	P1MBUH2PC10	\$79.90
CURVE C - 12A	N/A		P1MBUH2PC12	\$79.90
CURVE C - 13A	P1MB2PC13	\$40.60	P1MBUH2PC13	\$79.90
CURVE C - 15A	N/A		P1MBUH2PC15	\$79.90
CURVE C - 16A	P1MB2PC16	\$40.60	P1MBUH2PC16	\$79.90
CURVE C - 20A	P1MB2PC20	\$40.60	P1MBUH2PC20	\$79.90
CURVE C - 25A	P1MB2PC25	\$40.60	P1MBUH2PC25	\$79.90
CURVE C - 30A	N/A		P1MBUH2PC30	\$79.90
CURVE C - 32A	P1MB2PC32	\$40.60	P1MBUH2PC32	\$79.90
CURVE C - 35A	N/A		P1MBUL2PC35	\$88.60
CURVE C - 40A	P1MB2PC40	\$48.65	P1MBUL2PC40	\$88.60
CURVE C - 50A	P1MB2PC50	\$48.65	P1MBUL2PC50	\$88.60
CURVE C - 60A	N/A		P1MBUL2PC60	\$88.60
CURVE C - 63A	P1MB2PC63	\$48.65	P1MBUL2PC63	\$88.60

* This product is cURus.



3 POLES

Description	Supplementary Protection* (UL1077/CSA: C22.2 No 235)		Branch Protection (UL489/CSA: C22.2 No 5)	
	Item #	Unit Price	Item #	Unit Price
CURVE C - 1A	P1MB3PC01	\$57.40	P1MBUH3PC01	\$128.80
CURVE C - 1.6A	N/A		P1MBUH3PC01V6	\$128.80
CURVE C - 2A	P1MB3PC02	\$57.40	P1MBUH3PC02	\$128.80
CURVE C - 3A	P1MB3PC03	\$57.40	P1MBUH3PC03	\$128.80
CURVE C - 4A	P1MB3PC04	\$57.40	P1MBUH3PC04	\$128.80
CURVE C - 5A	N/A		P1MBUH3PC05	\$128.80
CURVE C - 6A	P1MB3PC06	\$57.40	P1MBUH3PC06	\$122.95
CURVE C - 7A	N/A		P1MBUH3PC07	\$112.10
CURVE C - 8A	P1MB3PC08	\$57.40	P1MBUH3PC08	\$112.10
CURVE C - 10A	P1MB3PC10	\$57.40	P1MBUH3PC10	\$112.10
CURVE C - 12A	N/A		P1MBUH3PC12	\$112.10
CURVE C - 13A	P1MB3PC13	\$57.40	P1MBUH3PC13	\$112.10
CURVE C - 15A	N/A		P1MBUH3PC15	\$112.10
CURVE C - 16A	P1MB3PC16	\$57.40	P1MBUH3PC16	\$112.10
CURVE C - 20A	P1MB3PC20	\$57.40	P1MBUH3PC20	\$112.10
CURVE C - 25A	P1MB3PC25	\$57.40	P1MBUH3PC25	\$112.10
CURVE C - 30A	N/A		P1MBUH3PC30	\$112.10
CURVE C - 32A	P1MB3PC32	\$57.40	P1MBUH3PC32	\$112.10
CURVE C - 35A	N/A		P1MBUL3PC35	\$128.40
CURVE C - 40A	P1MB3PC40	\$75.20	P1MBUL3PC40	\$128.40
CURVE C - 50A	P1MB3PC50	\$75.20	P1MBUL3PC50	\$128.40
CURVE C - 60A	N/A		P1MBUL3PC60	\$128.40
CURVE C - 63A	P1MB3PC63	\$75.20	P1MBUL3PC63	\$128.40

* This product is cURus.



● Slim Electromechanical Relays Assembled on the Socket



Item #	Description	Qty/pkg	Unit Price
HRA101CE024	24VAC/DC, 1 C/O contact, 6A, screw terminals	10	\$15.65
HRA101CE024S	24VAC/DC, 1 C/O contact, 6A, spring terminals	10	\$15.65

● Miniature Relays without LED Indicator or Mechanical Actuator



Item #	Description	Qty/pkg	Unit Price
HR401CD012	12VDC, 1 C/O contact, 16A ¹	10	\$5.25
HR401CD024	24VDC, 1 C/O contact, 16A ¹	10	\$5.25
HR402CD012	12VDC, 2 C/O contacts, 10A	10	\$5.90
HR402CD024	24VDC, 2 C/O contacts, 10A	10	\$5.90
HR5XS21S	Socket for relays, terminals with Push-in technology	10	\$7.70
HR5XS22	Socket for relays, screw terminals	10	\$5.70
HR5X87	Retain clip	10	\$0.39
HR5X30	Marker tags	100	\$0.33

¹ Rated current if the relay is soldered directly onto the board; with socket, the maximum current is 10A.

● Miniature Relays with LED Indicator and Mechanical Actuator



Item #	Description	Qty/pkg	Unit Price
HR501CA024	24VAC, 1 C/O contact, 16A ¹	10	\$8.95
HR501CA110	120VAC, 1 C/O contact, 16A ¹	10	\$10.25
HR501CA230	230VAC, 1 C/O contact, 16A ¹	10	\$12.05
HR501CD012	12VDC, 1 C/O contact, 16A ¹	10	\$7.85
HR501CD024	24VDC, 1 C/O contact, 16A ¹	10	\$7.85
HR502CA024	24VAC, 2 C/O contacts, 8A	10	\$9.90
HR502CA110	120VAC, 2 C/O contacts, 8A	10	\$11.40
HR502CA230	230VAC, 2 C/O contacts, 8A	10	\$13.35
HR502CD012	12VDC, 2 C/O contacts, 8A	10	\$8.80
HR502CD024	24VDC, 2 C/O contacts, 8A	10	\$8.80
HR5XS21S	Socket for relays, terminals with Push-in technology	10	\$7.70
HR5XS22	Socket for relays, screw terminals	10	\$5.70
HR5X87	Retain clip	10	\$0.39
HR5X30	Marker tags	100	\$0.33

¹ Rated current if the relay is soldered directly onto the board; with socket, the maximum current is 10A.

Note: These items are sold by package only

Revised pricings in Effect July 1, 2026.

Industrial Relays with LED Indicator and Mechanical Actuator



Item #	Description	Qty/pkg	Unit Price
HR602CA024	24VAC, 2 C/O contacts, 7A	10	\$7.10
HR602CA110	120VAC, 2 C/O contacts, 7A	10	\$7.10
HR602CA230	230VAC, 2 C/O contacts, 7A	10	\$7.50
HR602CD012	12VDC, 2 C/O contacts, 7A	10	\$7.10
HR602CD024	24VDC, 2 C/O contacts, 7A	10	\$7.10
HR604CA024	24VAC, 4 C/O contacts, 5A	10	\$8.15
HR604CA110	120VAC, 4 C/O contacts, 5A	10	\$8.15
HR604CA230	230VAC, 4 C/O contacts, 5A	10	\$8.55
HR604CD012	12VDC, 4 C/O contacts, 5A	10	\$8.15
HR604CD024	24VDC, 4 C/O contacts, 5A	10	\$8.15
HR6XS22	Socket for relays w/2 contacts, screw terminals	10	\$4.75
HR6XS41S	Socket for relays, terminals with Push-in technology	10	\$11.85
HR6XS42	Socket for relays w/4 contacts, screw terminals	10	\$5.45
HR6X88	Retain/release clip	10	\$0.37
HR6X30	Marker tags	100	\$0.21

8-Pin and 11-Pin Industrial Relays with LED and Mechanical Actuator



Item #	Description	Qty/pkg	Unit Price
8-Pin type			
HR702CA024	24VAC, 2 C/O contacts, 10A	10	\$10.35
HR702CA110	120VAC, 2 C/O contacts, 10A	10	\$10.35
HR702CA230	230VAC, 2 C/O contacts, 10A	10	\$10.55
HR702CD024	24VDC, 2 C/O contacts, 10A	10	\$10.35
HR702CD110	110VDC, 2 C/O contacts, 10A	10	\$10.35
11-Pin type			
HR703CA024	24VAC, 3 C/O contacts, 10A	10	\$12.90
HR703CA110	120VAC, 3 C/O contacts, 10A	10	\$12.90
HR703CA230	230VAC, 3 C/O contacts, 10A	10	\$12.90
HR703CD024	24VDC, 3 C/O contacts, 10A	10	\$12.90
HR703CD110	110VDC, 3 C/O contacts, 10A	10	\$12.90
HR7XS1	Socket for 8-pin relays, screw terminals	10	\$4.65
HR7XS2	Socket for 11-pin relays, screw terminals	10	\$5.35
HR7X87	Retain clip	10	\$0.35

Power Relays with Atex Certification



Item #	Description	Qty/pkg	Unit Price
HR8020A024	24VAC, 2 NO contacts, 30A	10	\$18.70
HR8020A120	120VAC, 2 NO contacts, 30A	10	\$18.70
HR8020A230	230VAC, 2 NO contacts, 30A	10	\$18.70
HR802CA024	24VAC, 2 C/O contacts, 30A ¹	10	\$19.95
HR802CA120	120VAC, 2 C/O contacts, 30A ¹	10	\$19.95
HR802CA230	230VAC, 2 C/O contacts, 30A ¹	10	\$19.95

¹ 3A for NC contact

Note: These items are sold by package only

Revised pricings in Effect July 1, 2026.

Soft Starters ADXN Series

- 2 Mechanical frame sizes
 - 6. 12. 18A - 25. 30. 38. 45A
- Compact dimensions
45mm wide housing for the entire range
- Integrated protection functions
- Integrated bypass
- Rated line voltage from 208 to 600 VAC
- NFC configuration
- 2 integrated relay outputs
- IR optical port
- 3 status LED
- cULus certified



	VERSION	ADXNB BASIC	ADXNP ADVANCED
Controlled phases		2	2
Integrated bypass		✓	✓
Digital start input		✓	✓
Digital relay outputs		✓ 2 fixed function	✓ 2 programmable
Configurable alarm properties		-	✓
Protection against phase loss		✓	✓
Protection against phase inversion		✓ disabled	✓
Soft starter thermal protection (overtemperature)		✓	✓
NFC connectivity for programming		-	✓
Potentiometers for basic settings		✓	✓ can be overridden via NFC
Configurable current limit		-	✓
Electronic motor thermal protection		-	✓
Protection against locked rotor		-	✓
Protection against low load		-	✓
Max torque signalling		-	✓
IR optical port for configuration and monitoring using optional USB (CX01), Wi-Fi (CX02) and RS485 (CX04)		-	✓

Rated starter current le FLA (A)	Rated motor power 600V (HP)	BASIC				ADVANCED			
		100-240 VAC		24VAC/DC		100-240 VAC		24VAC/DC	
		Item #	Unit Price	Item #	Unit Price	Item #	Unit Price	Item #	Unit Price
6.1	5	ADXNB006	\$273.15	ADXNB00624	\$286.85	ADXNP006	\$476.50	ADXNP00624	\$500.35
11	10	ADXNB012	\$331.45	ADXNB01224	\$348.00	ADXNP012	\$579.80	ADXNP01224	\$608.75
18	15	ADXNB018	\$360.55	ADXNB01824	\$378.65	ADXNP018	\$673.60	ADXNP01824	\$707.20
24.2	20	ADXNB025	\$411.65	ADXNB02524	\$432.25	ADXNP025	\$721.40	ADXNP02524	\$757.45
28	25	ADXNB030	\$510.00	ADXNB03024	\$535.45	ADXNP030	\$918.45	ADXNP03024	\$964.45
34	30	ADXNB038	\$626.50	ADXNB03824	\$657.85	ADXNP038	\$1182.50	ADXNP03824	\$1241.70
44	40	ADXNB045	\$757.65	ADXNB04524	\$795.55	ADXNP045	\$1382.05	ADXNP04524	\$1451.35

Revised pricings in Effect July 1, 2026.

● Soft Starters ADXL Series



SIMPLE! INTELLIGENT! EFFICIENT!

- Easy programming in 4 steps only
- Programming via NFC or Wi-Fi
- APP for smart phone or tablet (free)
- Works from 208 to 600VAC
- Auxiliary supply from 120 to 240VAC
- Built-in bypass relay
- Optional RS485 communication
- Modbus-ASCII, Modbus-RTU, Modbus-TCP
- Programmable inputs and outputs

Item #	FLA (A)	208V HP	220-240V HP	380-415V HP	440-480V HP	550-600V HP	Unit Price
ADXL0030600	28	10	10	15	20	25	\$898.00
ADXL0045600	44	10	15	25	30	40	\$1225.35
ADXL0060600	60	20	20	30	40	50	\$1459.60
ADXL0075600	75	25	25	40	50	60	\$1674.70
ADXL0085600	83	25	30	50	60	75	\$1866.80
ADXL0115600	114	40	40	60	75	100	\$2078.00
ADXL0135600*	130	40	50	75	100	125	\$2450.20
ADXL0162600*	156	50	60	75	125	150	\$2678.25
ADXL0195600*	192	60	60	100	150	200	\$3006.10
ADXL0250600*	248	75	100	150	200	250	\$3251.90
ADXL0320600*	320	100	125	200	250	300	\$3619.50

*Terminal lugs kit not included

● Terminal Lugs and Protection Cover Kits

EXA01	KIT OF 3 TERMINAL LUGS FOR ADXL 135A,162A & 195A	\$57.95
EXA02	KIT OF 3 TERMINAL PROTECTION COVERS FOR ADXL 135A, 162A & 195A	\$100.00
EXA03	KIT OF 3 TERMINAL LUGS FOR ADXL 250A & 320A	\$185.65
EXA04	KIT OF 3 TERMINAL PROTECTION COVERS FOR ADXL 250A & 320A	\$163.85

● Soft Starters ADXT Series

- Rated operational voltage 380...690VAC $\pm 10\%$
- Rated frequency 50/60Hz $\pm 5\%$
- IEC rated soft starter current I_e from 34 to 554A
- Rated motor power 30...500HP (600VAC)
- Screw fixing
- Protection degree IP20 up to ADXT0126, IP00 for higher sizes (IP20 with fingerguards type ADXTFG)



Item #	Rated power in-line connection				Rated power inside delta connection				Unit Price
	Rated soft starter	Rated motor power UL ≤40°C (60Hz)			Rated soft starter	Rated motor power UL ≤40°C (60Hz)			
	current Ie				current Ie				
	(starting 4*Ie 10s)	380-415V	440-480V	550-600V	(starting 4*Ie 10s)	380-415V	440-480V	550-600V	
	(A)	HP	HP	HP	(A)	HP	HP	HP	
Auxiliary supply voltage 110...120VAC and 220...240VAC									
ADXT0034	34	20	25	30	51	30	30	40	\$1312.50
ADXT0060	60	30	40	50	90	50	60	75	\$1879.50
ADXT0084	84	50	60	75	126	60	100	125	\$2404.50
ADXT0104	104	60	75	100	156	75	125	150	\$2625.00
ADXT0126	126	75	100	125	189	100	150	150	\$3570.00
ADXT0139	139	75	100	125	209	125	150	200	\$3738.00
ADXT0165	165	100	125	150	248	150	200	250	\$4095.00
ADXT0187	187	100	150	200	281	150	200	250	\$4672.50
ADXT0230	230	125	150	200	345	200	250	350	\$5040.00
ADXT0311	311	150	250	300	466	250	350	450	\$6405.00
ADXT0410	410	250	300	400	615	350	500	600	\$6877.50
ADXT0506	506	300	400	500	758	400	600	700	\$8505.00
ADXT0554	554	300	450	500	832	500	600	700	\$9450.00
Auxiliary supply voltage 24VAC/DC									
ADXT003424	34	20	25	30	51	30	30	40	\$1371.70
ADXT006024	60	30	40	50	90	50	60	75	\$1972.65
ADXT010424	104	60	75	100	156	75	125	150	\$2818.05
ADXT013924	139	75	100	125	209	125	150	200	\$3970.10
ADXT023024	230	125	150	200	345	200	250	350	\$5374.95

16A Cam Switches Voltmeter/Ammeter



Voltmeter
Phase-Phase L1L2-L2L3-L3L1, front mount
GX1667U

\$49.65

Ammeter
With or without CT, L1-L2-L3, front mount
GX1697U

\$83.80

Ammeter
With CT, L1-L2-L3, front mount
GX1698U

\$52.70

UL/CSA general use [A]	UL/CSA horsepower ratings					
	1 phase		3 phases			
	120V	230V	200V	230V	480V	600V
12	¾	1	1½	3	5	5

25A Cam Switches ON/OFF type



1 pole
Front mount
7GN2590U

\$49.65

2 poles
Front mount
7GN2591U

\$52.70

3 poles
Front mount
7GN2510U

\$55.45

UL/CSA general use [A]	UL/CSA horsepower ratings					
	1 phase		3 phases			
	120V	230V	200V	230V	480V	600V
30	1½	3	3	5	10	15

25A Changeover Cam Switches 1-0-2



3 poles
Front mount
7GN2553U

\$71.40

4 poles
Front mount
7GN2575U

\$87.85


UL/CSA general use [A]	UL/CSA horsepower ratings					
	1 phase		3 phases			
	120V	230V	200V	230V	480V	600V
30	1½	3	3	5	10	15

Manual Motor Starter Kits with Enclosure Type 4X



Item #	Adjustment	Unit Price
SM1P0016KIT	0,1-0,16A	\$94.15
SM1P0025KIT	0,16-0,25A	\$94.15
SM1P0040KIT	0,25-0,4A	\$94.15
SM1P0063KIT	0,4-0,63A	\$94.15
SM1P0100KIT	0,63-1A	\$94.15
SM1P0160KIT	1-1,6A	\$94.15
SM1P0250KIT	1,6-2,5A	\$94.15
SM1P0400KIT	2,5-4A	\$94.15
SM1P0650KIT	4-6,5A	\$94.15
SM1P1000KIT	6,3-10A	\$94.15
SM1P1400KIT	9-14A	\$119.50
SM1P1800KIT	13-18A	\$119.50
SM1P2300KIT	17-23A	\$127.00
SM1P2500KIT	20-25A	\$127.00

Manual Motor Starter Kits with Enclosure + E-STOP Type 4X



Item #	Adjustment	Unit Price
SM1P0016EKIT	0,1-0,16A	\$128.45
SM1P0025EKIT	0,16-0,25A	\$128.45
SM1P0040EKIT	0,25-0,4A	\$128.45
SM1P0063EKIT	0,4-0,63A	\$128.45
SM1P0100EKIT	0,63-1A	\$128.45
SM1P0160EKIT	1-1,6A	\$128.45
SM1P0250EKIT	1,6-2,5A	\$128.45
SM1P0400EKIT	2,5-4A	\$128.45
SM1P0650EKIT	4-6,5A	\$128.45
SM1P1000EKIT	6,3-10A	\$128.45
SM1P1400EKIT	9-14A	\$134.35
SM1P1800EKIT	13-18A	\$134.35
SM1P2300EKIT	17-23A	\$147.85
SM1P2500EKIT	20-25A	\$147.85

Manual Motor Starter Kits Including Padlockable Enclosure Type 4X



SM1Z1715R



SM1R...

Item #	Adjustment	Unit Price
SM1R0016KIT	0,1-0,16A	\$143.45
SM1R0025KIT	0,16-0,25A	\$143.45
SM1R0040KIT	0,25-0,4A	\$143.45
SM1R0063KIT	0,4-0,63A	\$143.45
SM1R0100KIT	0,63-1A	\$143.45
SM1R0160KIT	1-1,6A	\$143.45
SM1R0250KIT	1,6-2,5A	\$143.45
SM1R0400KIT	2,5-4A	\$143.45
SM1R0650KIT	4-6,5A	\$143.45
SM1R1000KIT	6,3-10A	\$162.80
SM1R1400KIT	9-14A	\$162.80
SM1R1800KIT	13-18A	\$162.80
SM1R2300KIT	17-23A	\$177.70
SM1R2500KIT	20-25A	\$177.70

Limit Switches

- Metal housing
- Degree of protection IP65
- 1NO+1NC contact
- 1/2 NPT thread
- Certification: cULus



KMA1S11N



KMB1S11N



KML2S11N



KME1S11N



KMF1S11N



KMM2S11N

\$50.70

● Voltage Monitoring Relays - Phase Loss / Incorrect Phase Sequence



- For three-phase systems, without neutral
- Phase loss detection if one of the voltages is <70% rated value
- Phase loss tripping time: 60ms
- 1 relay output with 1 changeover contact (SPDT)
- Mounting on DIN rail or screw fixing via pull out tabs

100...240VAC
PMV20A240

\$149.15

208...575VAC
PMV20A575

\$149.15

600VAC
PMV20A600

\$149.15

● Voltage Monitoring Relays - Phase Loss / Incorrect Phase Sequence / Min. & Max AC Voltage



- For three-phase systems, without neutral
- True RMS (TRMS) measurements
- Control of phase-to-phase voltages
- Phase loss detection if one of the voltages is <70% rated value
- Phase loss tripping time: 60ms
- 1 relay output with 1 changeover contact (SPDT)
- Mounting on DIN rail or screw fixing via pull out tabs

208...240VAC
PMV50A240

\$218.00

380...575VAC
PMV50A575

\$218.00

600VAC
PMV50A600

\$218.00

● Level Control Relay



- Emptying or filling functions
- 24 to 240VAC/DC
- 1 relay output SPDT

LVM25240

\$164.80

● Priority Change Relay (Flip Flop)



- For 2 motors
- 24/48VDC and 24...240VAC
- 2 relay outputs

LVMP05

\$139.65

● Time Relay



- Multifunction
- Supply 12 to 240VAC/DC
- Time scale from 0.1 second to 10 days
- 1 relay output SPDT

TMM1

\$64.25

● Time Relay / Counter / Hour Counter with NFC Technology



- Supply: 12 to 240VAC/DC
- Relay output: 8A 250VAC
- Time scale: 0.1 second to 999 days
- Absolute time precision
- Can do more than 40 functions
- Password protection of parameters against undesirable modifications
- QR code for direct access to user's manual



TMM1NFC

\$77.60

● Protection Relays



- For three-phase systems, with or without neutral
- Minimum and maximum voltage
- Minimum and maximum frequency
- Asymmetry
- Phase loss and phase sequence
- With NFC technology
- 1 relay output (8A)

**208-240VAC
PMV95NA240NFC**

\$282.75

**380-575VAC
PMV95NA575NFC**

\$282.75

● Signal Tower Lights Ø50mm/1.97"



Max. 4 light modules + sound module or 5 light modules + top cover



Ø50mm		
Description	Item #	Unit Price
Top cover		
To be used only if sound module is not present	LTN50C	\$4.25
Continuous sound modules		
85dB. IP65. Type 4	LTN50MSL	\$40.05
100dB. IP20	LTN50MSH	\$40.05
Blinking or steady light modules. Integrated LED lamp IP65		
Orange	LTN50ML1	\$38.10
Green	LTN50ML3	\$38.10
Red	LTN50ML4	\$38.10
Blue	LTN50ML6	\$38.10
White	LTN50ML8	\$38.10
Wiring modules. IP65.		
12...24VDC tube mounting	LTN50MW024	\$57.10
110...230VAC tube mounting	LTN50MW230	\$103.95
12...24VDC screw mounting	LTN50MWB024	\$75.80
110...230VAC screw mounting	LTN50MWB230	\$127.00
Extension tubes		
100mm/3.94", metal with threaded end*	LTN50P100T	\$9.00
100mm/3.94", metal**	LTN50P100	\$8.55
Fixing bases		
Horizontal surface mounting, black plastic	LTN50BP1	\$9.30
Wall mounting, grey plastic	LTN50BP2	\$10.10



* Must be ordered with LTN50BP1

** Must be ordered with LTN50BP2



● Signal Tower Lights Ø70mm/2.75"

Max. 4 light modules + sound module or 5 light modules + top cover



Ø70mm		
Description	Item #	Unit Price
Top cover		
To be used only if sound module is not present	LTN70C	\$4.70
Continuous sound modules		
85dB. IP65. Type 4	LTN70MSL	\$47.00
100dB. IP20	LTN70MSH	\$47.00
Blinking or steady light modules. Integrated LED lamp IP65		
Orange	LTN70ML1	\$44.65
Green	LTN70ML3	\$44.65
Red	LTN70ML4	\$44.65
Blue	LTN70ML6	\$44.65
White	LTN70ML8	\$44.65
Wiring modules. IP65.		
12...24VDC tube mounting	LTN70MW024	\$67.00
110...230VAC tube mounting	LTN70MW230	\$116.75
12...24VDC screw mounting	LTN70MWB024	\$88.90
110...230VAC screw mounting	LTN70MWB230	\$148.90
Extension tubes		
100mm/3.94", metal with threaded end*	LTN70P100T	\$9.60
100mm/3.94", metal**	LTN70P100	\$9.30
Fixing bases		
Horizontal surface mounting, black plastic	LTN70BP1	\$10.10
Wall mounting, grey plastic	LTN70BP2	\$11.05

* Must be ordered with LTN70BP1

** Must be ordered with LTN70BP2



22mm Metal Pushbutton Kits

Degree of protection NEMA 4X (IP69K)

Pushbutton

NO
contact

Contact
holder



LPSB102K10 (black) LPSB105K10 (yellow)
LPSB103K10 (green) LPSB106K10 (blue)
LPSB104K10 (red) LPSB108K10 (white)
LPSB104K01 (red, with NC contact)

\$18.55

22mm Metal E-Stop Kit

Degree of protection NEMA 4X (IP69K)

E-stop
turn to release

NC
Contact

Contact
holder



LPSB6644K01

\$39.90

22mm Metal Selector Kits

Degree of protection NEMA 4X (IP69K)

2 position
selector

NO
contact

Contact
holder



LPSS120K10


\$28.30

3 position
selector

NO
contact

NO
contact

Contact
holder



LPSS130K20

\$33.65

22mm Metal Key Selector Kits

Degree of protection NEMA 4X (IP69K)

2 position
selector

NO
contact

Contact
holder



LPSS320K10


\$53.30

3 position
selector

NO
contact

NO
contact

Contact
holder



LPSS330K20

\$63.75

22mm Plastic Pushbutton Kits
Degree of protection NEMA 4X (IP69K)

Pushbutton

NO
contact

Contact
holder



LPCB102K10 (black) **LPCB105K10** (yellow)
LPCB103K10 (green) **LPCB106K10** (blue)
LPCB104K10 (red) **LPCB108K10** (white)
LPCB104K01 (red, with NC contact)

\$12.75

22mm Plastic E-Stop Kit
Degree of protection NEMA 4X (IP69K)

E-stop
turn to release

NC
contact

Contact
holder



LPCB6644K01

\$29.25

22mm Plastic Selector Kits
Degree of protection NEMA 4X (IP69K)

2 position
selector

NO
contact

Contact
holder



LPCS120K10


\$20.90

3 position
selector

NO
contact

NO
contact

Contact
holder



LPCS130K20

\$25.55

22mm Plastic Key Selector Kits
Degree of protection NEMA 4X (IP69K)

2 position
selector

NO
contact

Contact
holder



LPCS320K10


\$35.05

3 position
selector

NO
contact

NO
contact

Contact
holder



LPCS330K20

\$44.75

22mm Plastic Pilot Lights LED Type



LPML		
Voltage		Colour
12VAC/DC	A 1	Orange
24VAC/DC	B 3	Green
48VAC/DC	D 4	Red
110VAC	E 5	Yellow
110VDC	F 6	Blue
230VAC	M 7	White
220VDC	N	

\$12.00

Protection Degree : As per UL: 3R, 4/12, 4X / As per IEC: IP66, IP67, IP69K

22mm Plastic Monoblock Potentiometers



LPCPA	
001	1 kΩ
002	2.5 kΩ
005	5 kΩ
010	10 kΩ
050	50 kΩ
100	100 kΩ
500	500 kΩ

\$56.65

Protection Degree : As per UL: 3R, 4/12, 4X / As per IEC: IP66, IP67, IP69K

22mm Plastic Pulse and Steady Tone Monoblock Buzzers



IP40: sound intensity 90dB/10cm.
IP69K: sound intensity 80dB/10cm.

Supply voltage
9-15VAC/DC
18-30VAC/DC

IP40
LPCZSA
LPCZSB

\$59.20

Supply voltage
9-15VAC/DC
18-30VAC/DC

IP69K
LPCZSAIP
LPCZSBIP

\$61.60

85-140VAC/DC
185-265VAC/DC

LPCZSE
LPCZSM

\$62.05

85-140VAC/DC
185-265VAC/DC

LPCZSEIP
LPCZSMIP

\$64.50

22mm Plastic Communication Interfaces



LPCD	
USB 01	3.0 A/A connection type
USB 03	3.0 A/B connection type
USB 05	3.0 B/A connection type
RJ45 06	Ethernet connection type (shielded)

\$47.40

Protection Degree : As per UL: 3R, 4/12, 4X / As per IEC: IP65 (with cap mounted)

● Grey Control Stations with 2 Actuators in Polycarbonate Enclosure NEMA 4X (IP69K)

LPZP2B8900

Green p.b. "I" symbol with 1NO contact and red p.b. "O" symbol with 1NC contact

\$56.90



LPZP2B8902

White p.b. up arrow symbol with 1NO contact and black p.b. down arrow symbol with 1NO contact

\$56.90



● METAL Control Stations IP67 (Type 4X)



Item #	Description	Cover	Unit Price
LPZM1A5	1 hole	Yellow	\$45.25
LPZM1A5P	1 hole with guard	Yellow	\$60.45
LPZM1A8	1 hole	Grey	\$45.25
LPZM2A5	2 holes	Yellow	\$52.80
LPZM2A8	2 holes	Grey	\$52.80
LPZM3A8	3 holes	Grey	\$63.30
LPZM4A8	4 holes	Grey	\$90.55
LPZM5A8	5 holes	Grey	\$120.60
LPZM6A8	6 holes	Grey	\$147.80

● 2 or 4 Direction Metal Joysticks NEMA 4X (IP69K)

LPSJ200

2 directions spring return with 2NO contacts

\$68.05



LPSJ400

4 directions spring return with 4NO contacts

\$91.80



LPSJ211

2 directions maintained interlock with 2NO contacts

\$81.65

LPSJ411

4 directions maintained interlock with 4NO contacts

\$110.20

● **Yellow Control Station with Protection in Polycarbonate Enclosure NEMA 4X (IP69K)**

LPZP1B5P603

Turn to release E-stop with 1NC contact ISO 13850

\$69.40



● **Yellow Control Station with 1 Actuator in Polycarbonate Enclosure NEMA 4X (IP69K)**

LPZP1B5603

Twist to release E-Stop with 1NC contact ISO 13850

\$56.85



● **Yellow Control Station with 1 Actuator in Polycarbonate Enclosure NEMA 1 (IP65)**

LP4P1B5600

Turn to release E-stop with 2NC contact ISO 13850

\$161.70



● **Grey Control Stations with 2 Actuators in Polycarbonate Enclosure NEMA 1 (IP65)**

LP4P2B8900

White p.b. "↑" symbol with 1NO contact & white p.b. "↓" symbol with 1NO contact

\$204.75



LP4P2B8902

Red p.b. "O" symbol with 1NC contact & green p.b. "I" symbol with 1NO contact

\$202.65



● Enclosed Disconnects



32A

GAZ032UL

\$70.05



63A

GAZ063SAUL

\$135.65



80A

GAZ080UL

\$203.40

- Padlockable handle (for 3 padlocks in OFF position)
- Degree of protection: IP65; Nema type 4X
- Rated insulation voltage Ui: 1000VAC
- Rated as motor disconnect
- Also rated as manual motor controller

● 32A, 63A, 80A or 100A Disconnect Kits



The kit includes:

- 32A, 63A, 80A or 100A disconnect rated as motor disconnect
- Shaft 200mm length
- Padlockable GAX63 handle, ring-type fixing, Nema type 4X

**32A
GA032KIT**

\$67.90

**63A
GA063KIT**

\$101.55

**80A
GA080KIT**

\$129.85

**100A
GA100KIT**

\$186.90

100A, 200A, 400A, 600A or 800A Non Fusible Disconnect Kits with Pistol Handle



**100A
GL0100C1ULKIT**

\$472.50

The GL0100C1ULKIT includes:

- 100A disconnect UL98 (CSA 22.2 No. 4)
- Shaft 300mm length
- Padlockable pistol grip handle (defeatable) red/yellow, type 4X

The GL0200C1ULKIT includes:

- 200A disconnect UL98 (CSA 22.2 No. 4)
- Shaft 300mm length
- Padlockable pistol grip handle (defeatable) red/yellow, type 4X

**200A
GL0200C1ULKIT**

\$527.65

**400A
GL0400C1ULKIT**

\$782.40

The GL0400C1ULKIT includes:

- 400A disconnect UL98 (CSA 22.2 No. 4)
- Shaft 500mm length
- Padlockable pistol grip handle (defeatable) red/yellow, type 4X



**600A
GL0600C1ULKIT**

\$1307.70

The GL0600C1ULKIT includes:

- 600A disconnect UL98 (CSA 22.2 No. 4)
- Shaft 500mm length
- Padlockable pistol grip handle (defeatable) red/yellow, type 4X
- Shaft alignment ring



**800A
GL0800C1ULKIT**

\$1927.55

The GL0800C1ULKIT includes:

- 800A disconnect UL98 (CSA 22.2 No. 4)
- Shaft 500mm length
- Padlockable pistol grip handle (defeatable) red/yellow, type 4X
- Shaft alignment ring

● 30A, 60A, 100A or 200A Fusible Disconnect Kits (UL98) Type “J”

The kit includes:

- 30A, 60A, 100A or 200A fusible disconnect (UL98)
- Shaft 300mm length
- Padlockable pistol grip handle (defeatable)
red/yellow Type 4X



30A: GMFJ030C12KIT

\$281.05



60A: GMFJ060C03KIT

\$350.95

100A: GMFJ100C03KIT

\$438.45

200A: GMFJ200C03KIT

\$967.75

● **Energy Meters - Multimeters and Power Analyzer**



	Energy Meters Multimeters		Power Analyzer
Item #	DMG600	DMG610	DMG8000
Maximum rated voltage	600VAC	600VAC	600VAC
Harmonic Analysis	15 th order	15 th order	63 rd order
PLC Logic			●
Built-in communication port		RS485	Ethernet
Data memory			●
Compatibility with EASY BRANCH power monitoring system			●

DMG600

\$477.80

DMG610

\$562.80

**Built-in RS485
communication port**

DMG8000

\$1753.65

**Built-in Ethernet
communication port**

● **HMI Displays**

- Widescreen display with resistive touchscreen
- LED backlight
- Ethernet, USB and serial port (type RS232-RS485-RS422)
- Auxiliary supply: 12-24VDC
- Protection degree: IP66, type 2 and 4X (front); IP20 (rear)



**HMI 7"
LRHA07**

\$581.65



**HMI 10.1"
LRHA10**

\$1370.20

**Programming
Licence for 1 user
LRHSW01**

\$204.35

HMI Starter Kits



24VDC Supply

The kit includes:

- PLC 12 inputs + 8 outputs
- All programming softwares
- All programming cables
- 1 programming licence
- 1 HMI

HMI 7"

LRD20HMI07KIT

\$1474.75

HMI 10.1"

LRD20HMI10KIT

\$2319.25

Micro PLC Starter Kits



- 120VAC or 240VAC Supply type with 6 inputs + 4 outputs

LRDKIT10RA240

- 24VDC or 24VAC Supply type with 8 inputs + 4 outputs

LRDKIT12RD024

LRDKIT12RA024

Includes Software LRXSW and USB cable LRXC03

\$243.25

Micro PLC



**Free Software Downloadable
on our Website.**

Item #	Description	Unit Price
LRD10RA240	Micro PLC 120VAC or 240VAC supply type with 6 inputs + 4 outputs	\$184.20
LRD12RD024	Micro PLC 24VDC supply type with 8 inputs + 4 outputs	\$184.20
LRD12RA024	Micro PLC 24VAC supply type with 8 inputs + 4 outputs	\$184.20
LRK12RD024	Micro PLC 12/24VDC supply type with 8 inputs + 4 outputs, Ethernet port	\$260.40
LRK12RD024B	Micro PLC 12/24VDC supply type with 8 inputs + 4 outputs, no display, Ethernet port	\$240.45
LRK20RD024RS	Micro PLC 12/24VDC supply type with 12 inputs + 8 outputs, Ethernet + RS485 ports	\$405.30

Fuse Holders



- Maximum rated voltage Ue 690VAC
- Operational voltage for status light indicator 120...690 VAC
- Compact sizes compliant with standards for electrical equipment
- UL and CSA certified versions

Item #	Description	Status Indicator	Qty/ pkg	Unit Price
MIDGET FUSE HOLDERS (10X38)				
FB01F1P	Fuse holder 1 pole 690V 32A	No	12	\$7.40
FB01F1PL	Fuse holder 1 pole 690V 32A	Yes	12	\$14.50
FB01F2P	Fuse holder 2 poles 690V 32A	No	6	\$16.00
FB01F3P	Fuse holder 3 poles 690V 32A	No	4	\$23.95

CC FUSE HOLDERS (10X38)

FB01G1P	Fuse holder 1 pole 600V 30A	No	12	\$7.40
FB01G1PL	Fuse holder 1 pole 600V 30A	Yes	12	\$14.20
FB01G2P	Fuse holder 2 poles 600V 30A	No	6	\$16.45
FB01G3P	Fuse holder 3 poles 600V 30A	No	4	\$23.95

Note: These items are sold by package only

Switching Power Supplies



- Rated output voltage: 24VDC
- Output power: 5...480W
- Wide input voltage range (90 to 265VAC & 120 to 375VDC)
- High efficiency up to 92%
- Adjustable output voltage
- Parallel connection using switch placed on front (some models)
- Certification: cULus Listed

Item #	Description	Output Voltage DC	Current DC	Output Power	Unit Price
PSL100524	Single Phase	24	0.21A	5W	\$49.70
PSL101024	Single Phase	24	0.42A	10W	\$51.25
PSL101824	Single Phase	24	0.75A	18W	\$56.70
PSL106024	Single Phase	24	2.5A	60W	\$93.10
PSL124024	Single Phase	24	10A	240W	\$265.05
PSL130024	Single Phase	24	12.5A	300W	\$367.35
PSL148024	Single Phase	24	20A	480W	\$409.10

Compact Switching Power Supplies



- Rated output voltage: 24VDC
- Output power: 30...120W
- Wide input voltage range (120 to 240VAC)
- High efficiency up to 89%
- Adjustable output voltage
- Certification: cULus Listed

Item #	Description	Output Voltage DC	Current DC	Output Power	Unit Price
PSE103024	Single Phase	24	1.25A	30W	\$60.45
PSE105024	Single Phase	24	2.1A	50W	\$70.35
PSE107224	Single Phase	24	3A	72W	\$86.10
PSE110024	Single Phase	24	4.2A	100W	\$104.60
PSE112024	Single Phase	24	5A	120W	\$136.70

Definite Purpose Contactors

Ideal for air conditioning, heating, ventilation, refrigeration in the HVAC industry, compressors, food and beverage industry.



DPBG12



DPBF09
DPBF12
DPBF18



DPBF26
DPBF32



DPBF50
DPBF65

Item #	Motor Full Load Amps (FLA) 600V	Locked Rotor Amps (LRA)			Resistive Load 600V	Maximum Horsepower						Type of Terminal	Unit Price
		240V	480V	600V		1 Phase 120V	240V	3 Phase 200V	240V	480V	600V		
	[A]	[A]	[A]	[A]	[A]	[HP]	[HP]	[HP]	[HP]	[HP]	[HP]		
Non-reversing three-pole definite purpose contactors, 600VAC.													
DPBG1210A①	14	84	84	84	20	3/4	2	3	3	10	10	Clamp-screw	\$41.80
DPBF0910A①	20	120	120	100	30	1 1/2	3	5	5	10	10	Clamp-screw	\$41.80
DPBF1210A①	25	150	150	125	30	2	3	5	5	10	15	Clamp-screw	\$48.85
DPBF1810A①	30	180	180	150	32	2	5	7 1/2	7 1/2	15	20	Clamp-screw	\$55.75
DPBF2600A①	40	240	240	200	50	3	7 1/2	10	10	30	30	Clamp-screw	\$62.75
DPBF3200A①	50	300	300	250	55	3	10	15	15	30	40	Clamp-screw	\$76.65
DPBF5000A①	70	420	420	350	90	5	15	20	25	50	50	Double lug-clamp	\$179.70
DPBF6500A①	80	480	480	400	100	7 1/2	15	25	30	60	60	Double lug-clamp	\$193.65
Accessory.													
BFX8903	Metal screw-fixing plate for DPBF09-DPBF32 types												\$2.85

DPBG12, DPBF09, DPBF12 and DPBF18 are supplied with built-in 1NO auxiliary contact (SPST). Types with 1NC contact are also available; in the item #, replace digits "10" with "01".

① Complete item # with coil code from the table below:

Code	Voltage range
02460	24VAC 60Hz
12060	120VAC 60Hz
23060	230VAC 60Hz
46060	460VAC 60Hz
57560	575VAC 60Hz

Certifications and compliance

Certifications: UL Listed for USA and Canada (cULus - File E93602) under Motor Controllers – Definite purpose contactors.

All contactors are CE marked per European Union requirements.

Compliant with standards: UL/CSA C22.2 n°60947-1, UL/CSA C22.2 n°60947-4-1, UL 508, CSA C22.2 n°14.

Main Features:

- Motor FLA ratings at 600VAC: 14 to 80A
- Finger safe terminals
- Positive (force) guided contacts
- Up to four front or side mount auxiliary contacts
- Highly conductive auxiliary contacts
- Quick and simple installation for accessories
- Easy coil replacement
- Wide coil operating range.

Operating characteristics


- All types have undergone UL endurance tests of 250,000 cycles.
- Average coil consumption at 20°C/70°F:

	In rush	Holding
• DPBG12	25VA	4VA
• DPBF09-32	75VA	9VA
• DPBF50-65	210VA	15VA
- Built-in auxiliary contact ratings: A600 for all SPST, if any
- Screw termination:


	Torque	Wire size
• DPBG12	9lbin	AWG8-12
• DPBF09-18	13-16lbin	AWG8-16
• DPBF26-32	22-27lbin	AWG6-14
• DPBF50-65	44lbin	AWG2-14
- Operating temperature:
 - DPBG12: -40...+60°C/-40...+140°F
 - DPBF: -50...+70°C/-60...+160°F

DIMENSIONS [mm (in)]


Definite-purpose contactors DPBG12




DPBF09-DPBF12-DPBF18



DPBF26-DPBF32



Fixing plate BFX8903



DPBF50-DPBF65



Prices are subject to change without notice

All products are CSA or cULus approved

**ALWAYS INDICATE LOVATO CANADA PROMO 2026 CODE
WHEN PLACING ORDERS THROUGH AUTHORIZED DISTRIBUTORS.
Expiration date: December 31, 2026**



PROMOTIONS 2026



LOVATO ELECTRIC CORPORATION

4500 Garand Street
Laval (Quebec) H7L 5Z6
tel 450-681-9200
info@Lovato.ca

www.Lovato.ca

